

Datasheet: 102001

Description:	GOAT ANTI MOUSE IgM
Specificity:	IgM
Format:	Purified
<b>Product Type:</b>	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 mg

# **Product Details**

# **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	-			
Immunoprecipitation			•	
Western Blotting			•	
Immunofluorescence	-			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid

Antiserum Preparation Purified Ig prepared by affinity chromatography on IgM covalently linked to agarose

Buffer Solution	Borate buffered saline
Preservative Stabilisers	None present
Approx. Protein Concentrations	Ig concentration 1.0 mg/ml
Immunogen	Mouse IgM paraproteins

External Database Links

**UniProt**:

P01872 Related reagents
P01873 Related reagents

#### **Entrez Gene:**

16019 Ighm Related reagents 16019 Related reagents lahm

### **Specificity**

Goat anti mouse IgM antibody recognises the heavy chain of mouse IgM as demonstrated by ELISA and flow cytometry. Minimal cross reactivity is observed with human immunoglobulins.

Goat anti mouse IgM antibody has been cross absorbed against Mouse IgG<sub>1</sub>, IgG<sub>2a</sub>, IgG<sub>2b</sub>, IgG<sub>3</sub> and IgA, pooled human sera and purified human paraproteins.

#### References

- 1. Kerr, K. et al. (2010) Inflammatory cytokine responses in a pregnant mouse model of Chlamydophila abortus infection. Vet Microbiol. 144 (3-4): 392-8.
- 2. Ferrian, S. et al. (2012) Effect of high temperature on blood lymphocyte populations in two different genetic rabbit lines. Proceedings 10 th World Rabbit Congress 1169-73
- 3. Kamat, M.M. et al. (2016) Changes in Myeloid Lineage Cells in the Uterus and Peripheral Blood of Dairy Heifers During Early Pregnancy. Biol Reprod. 95 (3): 68.
- 4. Monzo, H.J. et al. (2017) Insulin promotes cell migration by regulating PSA-NCAM. Exp Cell Res. 355 (1): 26-39.
- 5. Desancé, M. et al. (2018) Chondrogenic Differentiation of Defined Equine Mesenchymal Stem Cells Derived from Umbilical Cord Blood for Use in Cartilage Repair Therapy. Int J Mol Sci. 19 (2)Feb 10 [Epub ahead of print].

## Storage

Store at -20°C only.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

## **Shelf Life**

Regulatory

18 months from the date of despatch.

# **Health And Safety** Information

Material Safety Datasheet documentation #10123 available at: 10123: https://www.bio-rad-antibodies.com/uploads/MSDS/10123.pdf

For research purposes only

# Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Goat IgG (Fc) (STAR122...) FITC, HRP

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21

America

Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

'M316893:180612'

Printed on 21 Jun 2018