

## Datasheet: AAM49

<b>Description:</b>	RABBIT ANTI MOUSE RANTES
<b>Specificity:</b>	RANTES
<b>Other names:</b>	CCL5
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			
ELISA	▪			0.5ug/ml
Immunoprecipitation			▪	
Western Blotting	▪			0.1ug/ml - 0.2ug/ml
Functional Assays	▪			6.0ug/ml - 8.0ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG - lyophilised
<b>Reconstitution</b>	Reconstitute with 0.1 ml distilled water. Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
<b>Antiserum Preparation</b>	Antisera to mouse RANTES were raised by repeated immunisations of rabbits with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	None present
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

<b>Immunogen</b>	Recombinant mouse RANTES.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P30882</a>   <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">20304</a>   Ccl5   <a href="#">Related reagents</a></p>
<b>Synonyms</b>	Scya5
<b>Specificity</b>	<p><b>Rabbit anti Mouse RANTES antibody</b> recognizes mouse RANTES, also known as CCL5.</p> <p>RANTES is expressed by circulating T cells and T cells in culture. RANTES is chemotactic for peripheral blood monocytes.</p>
<b>References</b>	<ol style="list-style-type: none"> <li>1. Ruddell, R.G. <i>et al.</i> (2009) Lymphotoxin-beta receptor signaling regulates hepatic stellate cell function and wound healing in a murine model of chronic liver injury. <a href="#">Hepatology. 49: 227-39.</a></li> <li>2. Keepers, T.R. <i>et al.</i> (2007) Monocyte chemoattractant protein 1, macrophage inflammatory protein 1 alpha, and RANTES recruit macrophages to the kidney in a mouse model of hemolytic-uremic syndrome. <a href="#">Infect Immun. 75: 1229-36.</a></li> <li>3. Hildebrandt, G.C. <i>et al.</i> (2005) Donor T-cell production of RANTES significantly contributes to the development of idiopathic pneumonia syndrome after allogeneic stem cell transplantation. <a href="#">Blood. 105: 2249-57.</a></li> </ol>
<b>Storage</b>	<p>Prior to reconstitution store at +4°C. Following reconstitution store at -20°C.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. For long term storage the addition of 0.09% sodium azide is recommended.</p> <p><b>N.B.</b> For functional studies do not add azide.</p>
<b>Shelf Life</b>	12 months from date of reconstitution.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10162 available at: 10162: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf</a>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)	<a href="#">FITC</a>
Sheep Anti Rabbit IgG (STAR35...)	<a href="#">RPE</a>
Goat Anti Rabbit IgG (H/L) (STAR124...)	<a href="#">HRP</a>
Goat Anti Rabbit IgG (Fc) (STAR121...)	<a href="#">Biotin</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Sheep Anti Rabbit IgG (2AB02...)	<a href="#">Biotin</a>

Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®549](#), [DyLight®649](#),  
[DyLight®680](#), [DyLight®800](#)

## Recommended Useful Reagents

[TidyBlot™ WESTERN BLOT DETECTION REAGENT:HRP \(STAR209P\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

'M317015:180615'

Printed on 20 Jun 2018

---

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)