

Datasheet: AAR29

Description:	: RABBIT ANTI RAT INTERLEUKIN-10		
Specificity:	IL-10		
Format:	Purified		
Product Type:	Polyclonal Antibody		
Isotype:	Polyclonal IgG		
Quantity:	0.1 mg		

Product Details

```
Applications
```

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	-			0.5 - 2.0ug/ml
Immunoprecipitation			•	
Western Blotting	-			0.1 - 0.2ug/ml
Functional Assays			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own systems with the appropriate negative/positive controls.

Target Species	Rat	
Product Form	Purified IgG - lyophilised	
Reconstitution	Reconstitute with 0.1 ml distilled water Care should be taken during reconstitution as the protein may appe vial. Bio-Rad recommend that the vial is gently mixed after reconstit addition of 0.09% sodium azide is recommended.	
Antiserum Preparation	Antisera to rat IL-10 were raised by repeated immunisations of rabbi Purified IgG was prepared from whole serum by affinity chromatogra	0,1
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	None present	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution	

Immunogen	Recombinant rat IL-10			
External Database Links	UniProt: P29456 Related reagents Entrez Gene: 25325 II10 Related reagents			
Synonyms	II-10			
Specificity	Rabbit anti Rat Interleukin-10 antibody recognizes rat interleukin-10 (IL	-10)		
	Rat IL-10 is a 18.7kD cytokine which exists as a homodimer.			
	IL-10 is produced by a population of T-cells and is reported to inhibit the s cytokines including IFN gamma, IL-2, IL-3 and TNF alpha.	synthesis of several		
ELISA	AAR29 may be used in an indirect ELISA with <u>PRP29</u> as the standard.			
Western Blotting	AAR29 may be used under either reducing or non-reducing western blotting as the positive control.	ng conditions with <u>PRP29</u>		
Storage	Prior to reconstitution store at +4°C. Following reconstitution store at -20°	C.		
	This product should be stored undiluted.			
	Storage in frost-free freezers is not recommended. Avoid repeated freezir may denature the antibody. Should this product contain a precipitate we remicrocentrifugation before use.			
Shelf Life	12 months from date of reconstitution.			
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: 10162: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf</u>			
Regulatory	For research purposes only			

Related Products

Recommended Secondary Antibodies

 Sheep Anti Rabbit IgG (STAR34...)
 FITC

 Sheep Anti Rabbit IgG (STAR35...)
 RPE

 Goat Anti Rabbit IgG (H/L) (STAR124...)
 HRP

 Goat Anti Rabbit IgG (Fc) (STAR121...)
 Biotin, FITC, HRP

 Sheep Anti Rabbit IgG (2AB02...)
 Biotin

 Sheep Anti Rabbit IgG (STAR36...)
 DyLight®488, DyLight®549, DyLight®649, DyLight®680, DyLight®800

Recommended Useful Reagents

TidyBlot™ WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com
			'M317507:180702'		

Printed on 11 Jul 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint