

## Datasheet: AHP1160

<b>Description:</b>	RABBIT ANTI HUMAN SLC5A10
<b>Specificity:</b>	SLC5A10
<b>Other names:</b>	SGLT5
<b>Format:</b>	Purified
<b>Product Type:</b>	Polyclonal Antibody
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	50 µg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin (1)	▪			10 - 30ug/ml
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Functional Assays			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.**

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Antiserum Preparation</b>	Antisera to SGLT5 were raised by repeated immunisations of rabbit with highly purified antigen. Purified IgG prepared by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 0.5 mg/ml
<b>Immunogen</b>	Synthetic peptide corresponding to part of the cytoplasmic domain of human SLC5A10, conjugated

to KLH.

---

**External Database****Links****UniProt:**

[A0PJK1](#)   [Related reagents](#)

**Entrez Gene:**

[125206](#)   SLC5A10   [Related reagents](#)

---

**Synonyms**

SGLT5

---

**Specificity**

**Rabbit anti Human SLC5A10 antibody** detects epitopes within the cytoplasmic domain of human SGLT5, encoded by the SLC5A10 gene. SGLT5 is a ~62 kDa sodium/glucose cotransporter whose expression is restricted to kidney, and is thought to have a role in renal function. Multiple splicing transcripts exist.

---

**Histology Positive****Control Tissue**

Skeletal muscle.

---

**References**

1. Zhao, F.Q. *et al.* (2005) Cloning and expression of bovine sodium/glucose cotransporters. [J Dairy Sci. 88 \(1\): 182-94.](#)

---

**Storage**

Store at +4°C or at -20°C if preferred.  
Storage in frost-free freezers is not recommended.  
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Shelf Life**

18 months from date of despatch.

---

**Health And Safety****Information**

Material Safety Datasheet documentation available at:  
Material Safety Datasheet Documentation #10040 available at:  
<https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

---

**Regulatory**

For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)   [FITC](#)  
Sheep Anti Rabbit IgG (STAR35...)   [RPE](#)  
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)  
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)  
Sheep Anti Rabbit IgG (2AB02...)   [Biotin](#)  
Sheep Anti Rabbit IgG (STAR36...)   [DyLight@488](#), [DyLight@549](#), [DyLight@649](#),  
[DyLight@680](#), [DyLight@800](#)

### Recommended Useful Reagents

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025A\)](#)

[ANTIGEN RETRIEVAL BUFFER, pH8.0 \(BUF025C\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

'M294337:160929'

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

**Printed on 09 Mar 2018**

---

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)