

### Datasheet: AHP340G

Description:	RABBIT ANTI HUMAN RANTES
Specificity:	RANTES
Other names:	CCL5
Format:	Purified
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	0.1 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen			•	
Immunohistology - Paraffin (1)	•			
ELISA	•			0.5 ug/ml - 2.0ug/ml
Immunoprecipitation			•	
Western Blotting	•			0.1ug/ml - 0.2ug/ml
Functional Assays	•			5.0ug/ml - 7.0ug/ml

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

Target Species	Human	
Product Form	Purified IgG - lyophilised	
Reconstitution	Reconstitute with 0.1 ml distilled water. For long term storage the adrecommended. NB: For functional studies do not add azide.	ldition of 0.09% sodium azide is
Antiserum Preparation	Antisera to human RANTES were raised by repeated immunisation of antigen. Purified IgG was prepared by antigen affinity chromatograph	<b>0</b> , ,
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	None present	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml after reconstitution	

Immunogen	Recombinant Human RANTES
External Database Links	UniProt: P13501 Related reagents  Entrez Gene:
	6352 CCL5 Related reagents
Synonyms	D17S136E, SCYA5
Specificity	Rabbit anti Human RANTES antibody recognizes human RANTES (regulated upon activation, normal T cell expressed and secreted), otherwise known as CCL5, a 68 amino acid CC-chemokine involved in T cell activation and cell recruitment, expressed by cytotoxic (CD8+) T cells (CTLs), macrophages, keratinocytes and endothelial cells.
	RANTES acts as a chemoattractant for monocytes, CD4+/CD45RO+ memory T cells, basophils and eosinophils, thorough binding to chemokine (C-C motif) receptor 1 (CCR1), CCR3 and CCR5. Both CCR3 and CCR5 are known co-receptors for the entry of HIV viruses into target cells and the binding of RANTES to CCR3 on CTLs has been shown to enhance HIV-1-specific cytotoxicity, whilst binding to CCR5 inhibits membrane fusion and hence HIV entry.
ELISA	This purified human RANTES antibody may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with our <u>biotinylated human RANTES antibody</u> (AHP340B) as the detection reagent and <u>recombinant human RANTES</u> (PHP062) as the standard.
Western Blotting	This antibody may be used in Western Blotting under either reducing or non-reducing conditions with recombinant human RANTES (PHP062) as the positive control.
References	<ol> <li>Appay, V. et al. (2000) RANTES activates antigen-specific cytotoxic T lymphocytes in a mitogen-like manner through cell surface aggregation. <u>Int Immunol. 12 (8): 1173-82.</u></li> <li>Dragic, T. et al. (1996) HIV-1 entry into CD4+ cells is mediated by the chemokine receptor CC-CKR-5. <u>Nature. 381 (6584): 667-73.</u></li> <li>Cheng, H. et al. (2016) TWEAK/Fn14 activation induces keratinocyte proliferation under psoriatic inflammation. <u>Exp Dermatol. 25 (1): 32-7.</u></li> </ol>
Storage	Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	3 months from date of reconstitution.
	Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: 10162: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf</a>
Regulatory	For research purposes only

# **Related Products**

### **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...) FITC
Sheep Anti Rabbit IgG (STAR35...) RPE
Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (2AB02...) Biotin

Sheep Anti Rabbit IgG (STAR36...) <u>DyLight®488, DyLight®549, DyLight®649,</u>

DyLight®680, DyLight®800

### **Recommended Useful Reagents**

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025A)

ANTIGEN RETRIEVAL BUFFER, pH8.0 (BUF025C)

TidyBlot™ WESTERN BLOT DETECTION REAGENT:HRP (STAR209P)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

'M316512:180516'

Printed on 21 Jun 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint