Datasheet: MCA2896A647T

Description:	HAMSTER ANTI MOUSE CD178:AlexaFluor®647
Specificity:	CD178
Other names:	FAS LIGAND
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	MFL4
Isotype:	IgG
Quantity:	25 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Mouse

Species Cross Reactivity

Reacts with: Rat

N.B. Antibody reactivity and working conditions may vary between species.

Product Form

Purified IgG conjugated to Alexa Fluor® 647 - liquid

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
Alexa Fluor®647	650	665

Preparation

Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN_3)
1% Bovine Serum Albumin

Approx. Protein Concentrations

IgG concentration 0.05mg/ml

Immunogen

B6 mouse FasL/BHK cells

External Database Links	**UniProt:** P41047 Related reagents **Entrez Gene:** 14103 Fasl Related reagents
Synonyms	Apt1lg1, Cd95l, Fasl, gld, Tnfsf6
Specificity	**Hamster anti Mouse CD178 antibody, clone MFL4** recognizes both mouse and rat CD178, otherwise known as Fas Ligand/ CD95L, a 40 kDa type II transmembrane glycoprotein and member of the TNF/NGF superfamily, expressed by activated T cells and NK cells, which can be induced on a variety of cells by radiation, heat shock, chemotherapeutic agents and viral infection. CD178 acts as a key effector of cytotoxicity and in the regulation of immune responses. The binding of CD178 to its receptor CD95 (Fas), induces Fas-mediated apoptosis of target cells, and may be involved in the induction of peripheral tolerance and neutrophil chemotaxis. The binding of decoy receptor 3 (DcR3) to CD178 has been shown to inhibit CD178-mediated apoptosis. Hamster anti Mouse CD178 antibody, clone MFL4 is reported to block CD178/CD95 induced apoptosis.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10^6 cells in 100ul. The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity Fc receptors. This may be reduced by using SeroBlock FcR (BUF041A, BUF041B).
References	1. Trinité, B. *et al.* (2000) A subset of cytolytic dendritic cells in rat. J Immunol. 165 (8): 4202-8. 2. Watanabe, T. *et al.* (2002) Administration of an antigen at a high dose generates regulatory CD4+ T cells expressing CD95 ligand and secreting IL-4 in the liver. J Immunol. 168 (5): 2188-99. 3. Kayagaki, N. *et al.* (1997) Polymorphism of murine Fas ligand that affects the biological activity. Proc Natl Acad Sci U S A. 94 (8): 3914-9.
Storage	Store at +4^{o}C or at -20^{o}C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	18 months from date of despatch.
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: 10041: https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf

Regulatory	For research purposes only

Related Products

Recommended Negative Controls

HAMSTER (ARMENIAN) IgG NEGATIVE CONTROL:Alexa Fluor® 647 (MCA2356A647)

North & South America
Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide
Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe
Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M300247:170105'

Printed on 05 May 2018